

# luxaflex<sup>®</sup> pleated blinds

*Luxaflex*<sup>®</sup>

WINDOW FASHIONS

[www.luxaflex.co.nz](http://www.luxaflex.co.nz)



LUXAFLEX® PLEATED BLINDS

## LUXAFLEX® PLEATED BLINDS

The Luxaflex® Pleated Blind range provides true style and versatility. Pleated Blinds not only provide privacy, sun and light control, they look stunning in any setting from traditional through to easy living and ultra modern. Choose from a vast array of fade-resistant fabrics including pastels, neutrals and solid colours, in translucent through to opaque options.

Each fabric has a metallised backing to insulate your window against the heat of the summer sun, yet retaining warmth during the cold winter months. Metallised fabrics are made from Trevira CS 100% Polyester and are vacuum bonded with aluminium on the reverse side providing a consistent external appearance.

Combine 816 Transparent fabric with the 878 Non Transparent in the Luxaflex® Day/Night blind to provide night time privacy with day time versatility and UV protection.

All Luxaflex® Pleated Blinds are heat set to retain a crisp, neat appearance and when fully raised form a tightly packed narrow stack. Luxaflex® Pleated Blinds can be used for a wide variety of window shapes and sizes including skylights, arched and triangular.



### CHILD SAFETY

Child safety is a critical issue and one that we have addressed with the availability of child safety devices as options on your blinds. We continually monitor standards to ensure our Luxaflex® products comply with applicable safety standards and are safe for you and your child.

Luxaflex® Pleated blind can be automated, removing the need to manually operate your Pleated blinds. Automation really is the ultimate in child safety, your blinds can be operated through a wall mounted switch, a slender platinum remote or complete integration with today's new "Smart Home" technology.



### CLEANING

Luxaflex® Pleated blind are anti-static and therefore repel dust and dirt. Avoid installation in humid rooms and contact with water. Dusting or vacuuming an average of twice per year is sufficient to keep Luxaflex® Pleated blinds in good condition. When using a vacuum cleaner, set it to a gentle level of suction and use an attachment with a soft brush.



LUXAFLEX® PLEATED BLINDS

#### Technical Specifications - 816 Metallised Fabric Range: Transparent

Solar Transmission	29%
Solar Reflection Aluminium	44%
Light Transmission	29%
Light Reflection Aluminium	43%
UV Transmission	27%
Openness Factor	23%


#### Technical Specifications - 812 Metallised Fabric Range: Semi-transparent

Solar Transmission	9%
Solar Reflection Aluminium	64%
Light Transmission	9%
Light Reflection Aluminium	63%
UV Transmission	7%
Openness Factor	5%


#### Technical Specifications - 878 Metallised Fabric Range: Non-Transparent

Solar Transmission	4%
Solar Reflection Aluminium	68%
Light Transmission	4%
Light Reflection Aluminium	67%
UV Transmission	1.5%
Openness Factor	0%

#### TRANSPARENCY INDEX



Transparent  
816



Semi  
Transparent  
812




Non  
Transparent  
878



#### FIRE RETARDANT

Another important feature of these fabrics is fire retardant, giving you extra peace of mind. This has been carefully formulated so it does not affect the texture and feel of the fabric, so they maintain their good looks and appearance.

# VERSATILE WINDOW SOLUTIONS



## SKYLIGHT

Overhead hand or pole operated.  
Max width: 2500mm, Max height: 3000mm



## TRIANGULAR

Cord operated or fixed.

Fixed: Max width: 2000mm,  
Max height: 1600mm

Cord operated: Max width: 2500mm,  
Max height: 1600mm



## AUTOMATED

Max width: 5000mm,  
Max height: 4500mm or 15m<sup>2</sup>



## ARCH

Static position only. Must be semi-circular  
Max width: 2000mm, Max height: 1000mm



## DAY & NIGHT

Two fabrics, sheer and block out,  
top down or bottom up.  
Max width: 3400mm, Max height: 3200mm



## TOP DOWN/BOTTOM UP

Cord operated or Automated.  
Max width: 3400mm,  
Max height: 3200mm or 10m<sup>2</sup>



## TRIANGLE PLUS

For windows with sloping tops,  
blind cord operated separately.  
Max width: 2500mm, Max height: 2500mm

*Luxaflex*<sup>®</sup>

WINDOW FASHIONS